



Valorizzare comfort ed ergonomia grazie ad un design dalle linee pulite ed essenziali, per spazi collettività contemporanei, sale d'attesa, ufficio dove diventa importante saper proporre sedute comode e funzionali con le quali creare ambienti unici, informali, creativi. La serie Class 100 è un programma completo di sedute per l'ufficio, l'attesa e la collettività, dal design giovane e di tendenza che valorizza comfort ed ergonomia.

Comfort and ergonomics are highlighted by a simple clean-cut lines design, for contemporary community areas, waiting rooms and offices, where it is important to offer comfortable functional seating to create unique, informal, creative environments.
The Class 100 series is a complete range of chairs for office, waiting room and community use, with a trendy modern design which enhances comfort and ergonomics.

CLASS 100

Design: S.I. Design



COMFORT AND ERGONOMICS
ARE HIGHLIGHTED BY A
MODERN DESIGN WITH SIMPLE
CLEAN-CUT LINES



CLASS 100 4 LEGS



CLASS 100 4 LEGS WITH ARMS



CLASS 100 4 LEGS WITH CASTORS



CLASS 100 CANTILEVER



CLASS 100 CANTILEVER WITH ARMS



CLASS 100 4 LEGS - MESH BACK
WITH ARMS AND WRITING TABLET



CLASS 100 4 LEGS WITH ARMS
FOR UPHOLSTERY



CLASS 100 MESH BACK SWIVEL



CLASS 100 SWIVEL



CLASS 100 ON CORE BENCH



CLASS 100 ON LINEAR BENCH



CLASS 100 ON 500 BENCH

01.

Schienale in polipropilene caricato
fibra di vetro
Sedile e carter sottosedile in polipropilene
Bracciolo in polipropilene con
sovrastampaggio in gomma
Fiberglass-filled polypropylene backrest
Polypropylene seat and seater outer
Polypropylene arm with rubber overmould



02.

Agganci
Linking device




03.

Tavoleta scrittoio
Writing tablet



04.

Impilabilità massima: 8 sedie, su carrello
Maximum stackability: 8 chairs, on trolley



CLASS 100

Design: S.I. Design

Schienale in polipropilene caricato fibra di vetro. Sedile e carter sotto sedile in polipropilene. A richiesta e per lotti d'acquisto da definire con l'ufficio commerciale, è possibile avere sedile, schienale e sottosedile ignifughi. Bracciolo in polipropilene con sovrastampaggio in gomma. Nella versione 4 gambe possibilità di avere piedini in polipropilene colore nero o con feltro orientabili ed agganci tra sedia e sedia in tondino Ø 5 mm cromato da fissare al sottosedile. Gambe anteriori, posteriori e struttura sottosedile in tubo tondo Ø 22 mm, spessore 1,5 mm, secondo norma UNI 10305-3. Impilabilità massima: 4 sedie. Carrello verniciato in epoxy-poliestere nero per trasporto massimo 8 sedie disponibile a catalogo. Struttura sedile e supporto schienale del telaio cantilever in tubo tondo Ø 22 mm, spessore 2,5 mm in ASF420 secondo norma UNI 10305-3. Piedini in polipropilene colore nero nella versione cantilever. Versione girevole: seduta e schienale in tubo tondo Ø 22 mm, spessore 1,5 mm, secondo norma UNI 10305-3. Piastra con leva a gas per la regolazione dell'altezza del sedile. Colonna a gas Ø 50 mm cromata. Base 5 razze in alluminio pulito Ø 660 mm. Ruote in polipropilene Ø 50 mm perno Ø 11 mm. Per le specifiche relative alla versione panca vedi da pag. 219 in poi.

Fiberglass-filled polypropylene backrest. Polypropylene seat and seat outer cover. Polypropylene arm with rubber overmould. On request and for purchase quantities to be agreed with the sales department, seat, backrest and seat outer can be supplied in fireproof version. In the version with 4 legs, option of adjustable polypropylene feet, black or with felt, and hooks between the chairs in Ø 5 mm chromium-plated rod for fixing below under seat cover. Tubular front and rear legs and seat outer structure, tube Ø 22 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Maximum stackability: 4 chairs. Black epoxy-polyester powder coated trolley for transporting a maximum of 8 chairs, available from catalogue. Black polypropylene feet in cantilever version. Swivel version: tubular seat and backrest with or without armrests, tube Ø 22 mm, thickness 1.5 mm, in compliance with UNI 10305-3 standard. Plate with gas lever for seat height adjustment. Chromium-plated gas column, Ø 50 mm. 5 star polished aluminium base, Ø 660 mm. Polypropylene wheels Ø 50 mm, pin Ø 11 mm. For the specifications of the bench version see from page 219 onwards.

Colori plastiche Plastic colours



Nero
Black



Bianco
White



Grigio
Grey



Sabbia
Sand

Parti in metallo Metal parts



Verniciato nero gofrato
Embossed black painted



Grigio gofrato
Embossed grey



Cromato
Chromium plated



Alluminio pulito
Polished aluminium

Parti in alluminio Aluminium parts

Parti in plastica per basi girevoli Plastic for swivel bases




Nero
Black




Grigio luce
Light grey


CLASS 100 4 LEGS




CLASS 100 4 LEGS WITH ARMS




CLASS 100 4 LEGS WITH CASTORS




CLASS 100 4 LEGS WITH CASTORS
AND WITH ARMS




CLASS 100 BACK SWIVEL




CLASS 100 BACK SWIVEL WITH ARMS




CLASS 100 4 LEGS - MESH BACK
WITH ARMS AND WRITING TABLET




CLASS 100 4 LEGS WITH ARMS
FOR UPHOLSTERY




CLASS 100 CANTILEVER




CLASS 100 CANTILEVER WITH ARMS



CLASS 100 ON CORE BENCH



CLASS 100 ON LINEAR BENCH



CLASS 100 ON 500 BENCH

